


Designing a Common Interchange Format for Unit Data Using the Command and Control Information Exchange Data Model (C2IEDM) and XSLT



A common problem between Military applications and operators is the consistent and meaningful exchange of data. Currently, several models and simulations exist for the purposes of training and analyzing military data. Due to the absence of an agreed-upon standard with which to represent unit data, much is lost during interchange and applications are not maximized. This thesis is a step towards a solution. Extensible Markup Language (XML) technology has been widely accepted as a standard for representing information in such a way that it is self-documenting, self-validating and platform independent. By using the Command and Control Information Exchange Data Model (C2IEDM), formerly known as Generic Hub, and XML it is possible to develop a representation of unit data that is extensible and broadly useable by tactical systems and human operators alike. This thesis approaches the problem exploring the Model Driven Architecture (MDA) and the Extensible Modeling Simulation Framework (XMSF) as possible overarching architectural concepts for a global solution. The C2IEDM is used as the core data interchange model for this research and applies XML technologies, schema and the Extensible Stylesheet Language for Transformations (XSLT) to derive a formatted data representation that is acceptable within the Flexible Asymmetric Simulation Technologies (FAST) Toolbox. The transformation example serves as template for other simulation programs to follow for interchange through the common base model. This thesis shows that by using a common data representation like C2IEDM coupled with the power of XML and XSLT, unit information can be transformed and interchanged between applications. In order to accomplish this, an extensive analysis is done on recently performed and ongoing research as well as

the development of exemplars to show how the proposed process is completed. The result of this work is a transformation of unit data extracted from an example C2IEDM instance file that is compliant with the schema for an actual unit order of battle tool used for modeling and simulation.

[\[PDF\] Human Interest 2: A Wife-Sharing Expose](#)

[\[PDF\] App Accomplished: Strategies for App Development Success](#)

[\[PDF\] A World of Acrylic Colors Basic Acrylic Painting Instructions](#)

[\[PDF\] Betrothed: Windemere Hall Trilogy: Book One \(Victorian Villains\)](#)

[\[PDF\] Outdoor Fun Duo 2 - In The Shadows and Exhibitionists & Voyeurs](#)

[\[PDF\] Learning HTML & XHTML Basics: A Beginners Guide to Learn Web Developing](#)

[\[PDF\] Chicktionary Adult Colouring Book: A Survival Guide To Dating Men: Day & Night Edition: A Unique White & Black Background Adult Colouring Book ... Stress Relief & Art Colour Therapy\)](#)

Lingua Franca C2IEDM - CiteSeerX Designing A Common Interchange Format For Unit Data Using The Command And Control Information Exchange Data Model C2iedm And Xslt. Document **Data Mapping and Ontology Design for Common Maneuver Networks** Command and Control Information Exchange Data Model (C2IEDM) Tutorial, Not to be used as the common enterprise wide data . and other defining entities through association relationships . Example: Planned times for ACTIONs that . 2005 VMASC/MOVES. Slide 58. Unit Data Interchange exports xslt. C2IEDM.

Designing A Common Interchange Format For Unit Data Using The edition of Designing A Common Interchange Format For Unit Data Using The. Command And Control Information Exchange Data Model C2iedm And Xslt that.

Designing A Common Interchange Format For Unit Data Using The Designing a common interchange format for unit data using the Command and Control information exchange data model (C2IEDM) and XSLT. Thumbnail

Designing a Common Interchange Format for Unit Data - CiteSeerX Interchange Format for Unit Data using the. Command and Control Information Exchange Data. Model (C2IEDM) and XSLT, Masters Thesis,. (C2), Modeling and Simulation (M&S), Extensible Markup Language (XML), interchange of data, information, and knowledge between systems, operational picture include, for example, inconsistent interoperable with Command and Control (C2) systems to .. initial syntactic exchange of data to common semantic.

Student Research - MOVES Institute Title: A Modular Architecture for Airborne Command-And-Control Tactical Training Title: Designing A Common Interchange Format For Unit Data Using The Command And Control Information Exchange Data Model (C2IEDM) And XSLT. **Designing A Common Interchange Format For Unit Data Using The** FAST XML design and usage Extending Unit Data Interchange exports xslt. C2IEDM. xsd. UOB C2IEDM. ? Command and Control Information Exchange Data. Model -- Multilateral Interoperability Programme Agent model built using NPS multi-agent simulation Common Interchange

Format for Unit Data. **Designing A Common Interchange Format For Unit Data Using The** Descriptions of the current Data Interchange Network (NADIN IA) and the next generation Data Interchange Network (NADIN II) are included as well as information on related FAA Designing a common interchange format for unit data using the Command and Control information exchange data model (C2IEDM) and XSLT ?. **Applying semantic web concepts to support Net-Centric Warfare** Military modeling and simulation (M&S), together with. Command, Control, Communications, Computers and . structure, describe, and interchange data [7]. The An example would be an XML language for language describing a military unit to produce XML . Control Information Exchange Data Model (C2IEDM,. **Lessons Learned from C2IEDM Mappings within XBML - CiteSeerX** FAST XML design and usage Extending Unit Data Interchange exports xslt. C2IEDM. xsd. UOB C2IEDM. ? Command and Control Information Exchange Data. Model -- Multilateral Interoperability Programme Agent model built using NPS multi-agent simulation Common Interchange Format for Unit Data. **C2IEDM for the GIG: A Tutorial - Naval Postgraduate School** Designing A Common Interchange Format For Unit Data Using The Command And Control Information Exchange Data Model C2iedm And Xslt. Document **Designing a Common Interchange Format for Unit Data Using the** FAST XML design and usage Extending Unit Data Interchange exports xslt. C2IEDM. xsd. UOB C2IEDM. ? Command and Control Information Exchange Data. Model -- Multilateral Interoperability Programme Agent model built using NPS multi-agent simulation Common Interchange Format for Unit Data. **MOOTW Flexible Asymmetric Simulation Technologies (FAST** ABSTRACT: The Command and Control Information Exchange Data Model to as a common model to facilitate data interchange at all tactical levels by . of using operational tactical data models as a core for strength lies in the fact that inherent to its design is .. As an example, lets take a look at Task Organization. **Designing a common interchange format for unit - Calhoun Home** Common Maneuver Network (CMN) and Mobility Data. Control and Battlespace Visualization Using XML,. XSLT C2IEDM. Command and Control Information. Exchange Data Model Capt Glenn Hodges, USA, Designing a Common C2IEDM Workshop. 8. Unit Data Interchange exports xslt. C2IEDM. **Web Services based on the C2IEDM - Semantic Scholar** Exchange Data Model (C2IEDM) as a common reference model. solution supports XSLT and Java-based mapping methods to set up transformation layers between both XML The first recommendation to use the Data Control Information Exchange Data Model as general approach to couple Command and Control. **Extensible Modeling and Simulation Framework (XMSF) Exemplars** Designing A Common Interchange Format For Unit Data Using The Command And Control Information Exchange Data Model C2iedm And Xslt. Document **Designing A Common Interchange Format For Unit Data Using The** Ebook Pdf designing a common interchange format for unit data using the command and control information exchange data model c2iedm and xslt. **C2IEDM for the GIG: A Tutorial Introduction - MOVES Institute** XMSF, NSS, FAST, XML, Data Interchange, Profiles, Simkit, from monolithic, closed system designs to open, M&S demonstrate a modeling framework using Web services . Command and Control Information Exchange Data. Model (C2IEDM). manifested in common conceptual models using. **XML mediation services utilizing model based data management** edition of Designing A Common Interchange Format For Unit Data Using The. Command And Control Information Exchange Data Model C2iedm And Xslt that. **Get cached PDF - Core** Designing a Common Interchange Format for Unit Data Using the Command and Control Information Exchange Data Model (C2IEDM) and XSLT Taschenbuch **Battlespace Language Activities at NPS - Naval Postgraduate School** Introduce key areas, give some examples of their use. Tutorial Not to be used as the common enterprise wide data model Land Command and Control Information Exchange Data Model . Example: Planned times for ACTIONs that . 2005 VMASC/MOVES. Slide 58. Unit Data Interchange exports xslt. C2IEDM. UOB. **Get cached PDF (336 KB) - CORE** Unit Data Using the Command and Control Information Exchange Data The C2IEDM is used as the core data interchange model for this research for Transformations (XSLT) to derive a formatted data representation that is. **Tactical web services using XML and Java web services to conduct** Using a common reference model improves this process leading to model of an auto-generated XSLT definition used to compose the service The paper uses the Command and Control Information Exchange Data Model (C2IEDM) .. **SESSION: Introductory tutorials: design of simulation experiments. Designing A Common Interchange Format For Unit Data Using The** edition of Designing A Common Interchange Format For Unit Data Using The. Command And Control Information Exchange Data Model C2iedm And Xslt that. **Designing A Common Interchange Format For Unit Data Using The** Tactical web services using XML and Java web services to conduct real-time net-centric sonar Web services provide for a standard way to move and share data more reliably, Designing a common interchange format for unit data using the Command and Control information exchange data model (C2IEDM) and XSLT ?.